



Heel Pain Often Caused by Plantar Fasciitis



If you have heel pain, you know that it can halt any exercise program and make it painful to work, run and even stand. Plantar fasciitis is the most common cause of heel pain.

What Is Plantar Fasciitis?

The plantar fascia is a thick band of tissue that attaches to the heel bone and runs along the bottom of your foot. When this tissue becomes inflamed because of repeated stretching and tearing, it can be painful to walk, especially when first arising in the morning and when getting up after sitting for a period of time.

Plantar fasciitis is common in runners or those who play sports with a lot of jumping. Sudden new activities may be a precipitating factor. You may also be at risk of this painful condition if you have a low or high arch, wear poorly-fitting or worn out footwear, are overweight or if you climb ladders or stand on hard surfaces for long periods.

Note that 50% of patients with plantar fasciitis also have a heel spur, a bony growth on the heel bone. Heel spurs may not cause any pain and usually don't require separate treatment.

Treating Heel Pain Caused by Plantar Fasciitis

Ignoring plantar fasciitis isn't a good idea as it may result in chronic heel pain that keeps you from enjoying your favorite activities. Also, if you unconsciously change the way you walk to accommodate the pain, you may develop foot, back, knee or hip problems.

We can help! Our approach to treating your plantar fasciitis will be:

Examination, history, x-rays and discussion of a treatment plan that fits your specific needs.

We may use a combination of treatments including:

Medication – with your doctor's approval – to relieve pain and reduce inflammation. Cortisone injections to relieve inflammation and pain.

Physical therapy to stretch the plantar fascia and Achilles tendon and strengthen lower leg muscles.

A night splint to keep your calf and foot arch stretched while you sleep.

Custom-fitted orthotics to help distribute the pressure on your feet more evenly.

Results are often gratifying and the sooner you get started on treating this painful condition the sooner you will be able to enjoy the many activities that Spring has to offer.

Preventing Youth Injuries in Sports



If you have a child or teen who enjoys playing sports, you may have spent some time in an emergency room after an injury. You're not alone - the Centers for Disease Control and Prevention (CDC) estimates that more than 2.6 million children and teens get treatment in emergency rooms each year for recreational and sports-related injuries.

Common Sports-Related Injuries

- **Sprains and strains.** An ankle sprain is the most frequently seen sports-related injury.
- **Repetitive motion injuries** that can result in tendonitis, stress fractures or plantar fasciitis.
- **Traumatic brain injuries or TBIs.** A concussion is a mild TBI, but more severe injuries can have serious, debilitating consequences.
- **Heat-related illnesses** are on the rise when young athletes experience dehydration, heat exhaustion and even heat stroke.

If you observe any foot or ankle pain or injury, please visit us as soon as possible so we can quickly and accurately diagnose and treat the problem.

Sports-Related Injuries in Youth Can Be Prevented

April is National Youth Sports Safety Month and a great time to revisit and reinforce youth sports safety techniques:

- Stay involved as a parent to make sure your child isn't pushed beyond his ability.
- Your child should start slowly and gradually build up endurance. Check that there is ample time for warm-ups, stretching and cool-downs.
- Always equip your child in appropriate and high-quality protective gear and footwear for each specific sport.
- Watch for any signs of pain - don't ask your child to "work it out" as this can make any injury worse.

Learn more about preventing youth sports injuries from the CDC and KidsHealth.org.

Spring Shoe Shopping Tips



Spring is one of the most popular times to purchase shoes.

Here are some tips for better comfort and fit and to prevent problems with your feet.

- Purchase shoes in the evening after dinner, when your feet are more swollen and more fatigued.
- Bring your orthotics with you if you have them.
- The shoes/sneakers should fit comfortably and never need to be "broken in".
- Always fit the larger foot, better to be too big than too small.
- Avoid tight fitting shoes.

Three elements to look for in a shoe include: the shoe/sneaker/boot should be somewhat rigid. Twist them to make sure they don't twist easily and by squeezing the counter (the back of the shoe) to check for rigidity and bending the shoe to check that it only bends in the front part of the shoe (metatarsal phalangeal joints) and not in the middle of the arch of the shoe. Wear the new shoes/sneakers/boots with the orthotics that evening for a half hour on carpet or the kitchen floor. It could take 20 minutes for a problem to occur due to an improperly fitting shoe, so if there was no problem after a half hour of wearing them in the evening then the shoes should be comfortable & fit well. If they bother your feet in any way please return them and get a more proper fitting shoe and be patient as variety of sizes isn't what it used to be. You and your feet will be much happier if you follow these guidelines.

Office News



We now have a digital x-ray system in our office to better serve you our patients. Each room is now equipped with a computer monitor to view each patient's foot x-rays as well as integrate it into your Electronic Medical Record. Through the new system we can share information and referrals to participating physician's offices.

See our Website www.FootDoc1.com for more foot tips on spring activities and preventing foot problems.

Recipe of the Month Grilled Pear & Cheddar Pockets



Crunchy pear, sharp cheddar, and peppery arugula come together for a delicious and healthy sandwich. It's low fat and quick and easy to make.

Ingredients

- 2 teaspoons Dijon-style mustard
- 1/2 of a whole grain pocket thin flatbread
- 2 slices ultra-thin sharp or mild cheddar cheese
- 1/4 cup arugula
- 1/3 of a medium red pear, cored and cut into 1/4-inch-thick slices

Directions

1. Preheat a small covered indoor electric grill.* Spread mustard over the interior surfaces of the pocket thin flatbread half. Arrange the cheese slices in the pocket, folding to fit. Add arugula and pear slices.
2. Place the flatbread half on the preheated grill and close.* Grill about 1 1/2 minutes or until lightly toasted.

Tip

* If you do not have a covered indoor electric grill, place filled pocket in a preheated nonstick skillet and cook 2 to 4 minutes or until lightly toasted, turning pocket once.

History FootNote

In 1881, a patent was issued for a nail clipper that hung from the owner's belt and doubled as a glove buttoner.

Celebrity Foot Focus

Sarah Jessica Parker has suffered from plantar fasciitis - although not from playing football as is the case with Eli Manning, New York Giants quarterback. SJP's problems are most likely a result of wearing high heels for extended periods of time on a regular basis.

Joke of the month



Math:

The math teacher saw that Daphne wasn't paying attention in class. She called on her and said, 'Daphne! What are 2 and 4 and 28 and 44?'

Daphne quickly replied, 'ABC, CBS, HBO and the Cartoon Network!'

Trivia

The titanic hit the infamous iceberg on which day in April?

- A. 7
- B. 14
- C. 22
- D. 29

Answer B

Meet Our Doctors



Matthew Kassnove, DPM



Neal Houslanger, DPM

Our Office:

Patchogue Office
440-3 Waverly Avenue
Patchogue, New York 11772
Phone: (631) 654-3838
Email: hkpllc@gmail.com

Office Hours:

Monday - 9 AM - 5 PM
Tuesday - 9 AM - 6 PM
Wednesday - 9 AM - 5 PM
Thursday - 12 Noon - 8 PM
Friday - 10 AM - 3 PM
Saturday - 9 AM - 1 PM